

RZR Pro XP Ultimate Army Green



Key Specifications

181
HP

64"
WIDTH

14.5"*
GROUND CLEARANCE

Engine & Drivetrain

| | |
|-----------------------------|--|
| Cooling | Liquid |
| Cylinders Displacement | 925cc |
| Drive System Type | Isolated Xtreme Performance True On-Demand AWD/2WD |
| Engine Braking System (EBS) | Not Equipped |
| Engine Type | 4-Stroke DOHC Twin Cylinder Turbocharged |
| Fuel System/Battery | Electronic Fuel Injection |
| Horsepower | 181 HP |
| Transmission/Final Drive | Automatic PVT P/R/N/L/H |

Dimensions

| | |
|----------------------------------|---|
| Bed Box Dimensions (L x W x H) | 26 x 17.7 x 11.5 in (66 x 45 x 29.2 cm) |
| Box Capacity | 300 lb (136.1 kg) |
| Estimated Dry Weight | 1,795 lb (814 kg) |
| Fuel Capacity | 12 gal (45.4 L) |
| Ground Clearance | 14.5 in (36.8 cm) |
| Overall Vehicle Size (L x W x H) | 126 x 64 x 71.7 in (320 x 162.6 x 182.1 cm) |
| Payload Capacity | 740 lb (336 kg) |
| Wheelbase | 96 in (244 cm) |

Brakes

| | |
|-------------------|---|
| Front/Rear Brakes | 4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers |
| Parking Brake | Park In-Transmission |

Additional Specifications

| | |
|----------------------------------|---|
| Cargo System | Lock & Ride |
| Doors | Full Door |
| Electronic Power Steering | High Assist Electronic Power Steering with Quick Turn Rack; Race inspired Steering Wheel with Tilt and Telescoping adjustment; Dynamix and Ride Command Push Button Controls |
| Hitch Towing Rating | N/A |
| Hitch Type | Not Equipped |
| Instrumentation | RIDE COMMAND® 7" Glove-Touch Display: DYNAMIX 2.0 Visualizer, Digital Instrumentation, Built-In GPS, Group ride (cell-based or GPS based), Topographic Mapping, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, 2 Front Speakers, and External 400W Amp) Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet |
| Lighting | Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior Accent Lighting |
| Other Standard Features | High Output 900w charging system with sealed electrical, Polaris Pulse system, In-Dash Charge Port, USB Charging, Polaris P.A.S.S. |
| Seat Type | Bolstered Bucket Seats with 4-way adjustability (including 6" front to back toolless seat slider with tilt adjustability) and Retractable Click-6 Harnesses |

Tires / Wheels

| | |
|--------------------|--|
| Front Tires | 30 x 10-14 MAXXIS Carnivore (8-Ply); Wheel Size 14x6 |
| Rear Tires | 30 x 10-14 MAXXIS Carnivore (8-Ply); Wheel Size 14x7 |
| Wheels | Cast Aluminum |

Suspension

| | |
|---|--|
| Electronic Suspension Control System | DYNAMIX 2.0 Active Suspension System |
| Front Shocks | FOX 2.5 Podium Live Valve with Bottom-Out Control (Electronically Controlled Damping) |
| Front Suspension | High-Clearance Dual A-Arm with Stabilizer Bar and 20 in (50.8 cm) Usable Travel*, 17 in (43.2 cm) Wheel Travel |
| Rear Shocks | FOX 2.5 Podium Live Valve with Bottom-Out Control (Electronically Controlled Damping) |
| Rear Suspension | Trailing Arm & High-Clearance Radius Rods with Stabilizer Bar and 22 in (55.9 cm) Usable Travel*, 20 in (50.8 cm) Wheel Travel |

